

SELLER'S DISCLOSURE NOTICE

@Texas Association of REALTORSS, Inc. 2018

Section 5,008, Property Code requires a seller of residential property of not more than one dwelling unit to deliver a Seller's Disclosure Notice to a buyer on or before the effective date of a contract. This form complies with and contains additional disclosures which exceed the minimum disclosures required by the Code.

			_											
CONCERNING THE	PRO	OPI	ERT	Y.	AT 3	05 (County Road 411, Some	rvi	lle, T	X 77	879		T	_
THIS NOTICE IS A D AS OF THE DATE	SIG	CLC SNE /EF	DSU ED 1	RE 3Y	SE	SILLI	ELLER'S KNOWLE ER AND IS NOT TO OBTAIN. IT IS	DO A	SE (OF BST	THE CONDITION OF THE PRO TITUTE FOR ANY INSPECTION ARRANTY OF ANY KIND BY :	ONS	3 0)R
							perty. If unoccupie	ed	(by rox	Sell imat	er), how long since Seller has te date) or \square never occup	occ	upi 1 t	ed he
Section 1. The Proportion This notice does not ex	erty stat	y ha	as ti	ite	iten	ns r	marked below: (M. conveyed. The con	ark trac	Ye ct w	s (Y	(), No (N), or Unknown (U).) termine which items will & will not	com	vev	
Item		_	U	Γ	Iten					U	Item	Y	_	l
Cable TV Wiring	-	_		t			Propane Gas:		ı W		Pump: ☐ sump ☐ grinder	-	N	
Carbon Monoxide Det.							mmunity (Captive)	-	V		Rain Gutters		H	
Ceiling Fans 4	_						Property		V		Range/Stove		금	
Cooktop					Hot				Ø		Roof/Attic Vents	_	-	-
Dishwasher				-			m System		V		Sauna		E C	
Disposal	_						ave	-	M		Smoke Detector			
Emergency Escape	_	1		-								M	L	-
Ladder(s)		Þ			Outdoor Grill			M	100	Smoke Detector – Hearing Impaired				
Exhaust Fans				_		tio/Decking 2				and the second	Spa		Ø	
Fences					Plumbing System			M			Trash Compactor		Œ	
Fire Detection Equip.				_	Pool				Ø		TV Antenna		Ø	
French Drain			_	_			uipment		A		Washer/Dryer Hookup			
Gas Fixtures				-			aint, Accessories		M		Window Screens	D		
Natural Gas Lines	ш	Ø	Ш	L	Poo	He	eater		Ø		Public Sewer System		\square	
Item				Y	N	U	Addition	al l	Info	rms	ation		1	-
Central A/C			1										+	-
Evaporative Coolers						□ □ electric □ gas [number of units:								
Wall/Window AC Units				ŏ	-	□ number of units:								
Attic Fan(s)			_	ŏ	-	if yes, describe:						-		
Central Heat			_	V		□ □ electric □ gas number of units:						-		
Other Heat			_			if yes describe:						_		
Oven					H	금							-	
Fireplace & Chimney					F	H	number of ovens: \[\square electric \square gas \square other:						_	
Carport							wood gas logs mock other:						-	
Garage		_					attached not attached					-		
Garage Door Openers			_				□ attached □ not attached					_		
Satellite Dish & Contro	le.		-			-	number of units:		£		number of remotes:		_	-
Security System	13	_	_	_			owned lease						_	
Solar Panels		_		_	Ø	_	□ owned □ lease						_	_
Water Heater			-		73		□ owned □ lease						_	_
Water Softener	_			M	-		□ electric □ gas				number of units:			
rvater Softerier					U		□ owned □ lease	erd :	ron	n				
Other Leased Item(s)							if yes, describe:	_				_		

Concerning the Property	at 305 County	Road 411, Some	rville	5, TX 7	7879				
Underground Lawn S	Sprinkler		aute	mati		ne al	A		
Sentic / On-Site Sew	or Engility		auto	made	: □ma	nuai	areas covered:		
Water supply provide	er racility		es,	attaci	n Informa	ation	About On-Site Sewer Facility (TXF	₹-14	407
Was the Department	to by: La city	y Li well Li	MUL	n M	co-op L	J unk	nown □ other: GUF U+ility		
Was the Property bui	It before 19	/8? ∐ yes ⊾	II no	U.	unknown		1		
(II yes, complete,	sign, and a	ttach TXR-190)6 C	oncer	ning lead	t-bas	ed paint hazards).		
Roof Type: Corr	MOSILI	01		_Age	3: 30	1	(approx	xim:	ate)
is there an overlay ro	of covering	on the Proper	ty (s	shingl	es or roo	of cov	ering placed over existing shingle	s o	r ro
covering)? uges 1	uno ∐un	known							
Are you (Seller) awa defects, or are need	re of any of of repair?	the items list	ed i	n this	Section scribe (a	1 th	at are not in working condition, the additional sheets if necessary):	nat	hav
o 					7.0				
									_
Section 2. Are you (Y) if you are aware	(Seller) av and No (N)	vare of any d if you are no	efec t aw	cts or	r malfun	ction	ns in any of the following?: (M	ark	Ye
Item	YN	Item			Y	N	Item	Y	IN
Basement		Floors				B	Sidewalks	_	ı v
Ceilings		Foundation	/SI	ab(s)		M	Walls / Fences	-	-
Doors		Interior Wal		00107	ä	April 1	Windows	12	V
Driveways		Lighting Fix		94		To l		_	D
Electrical Systems		Plumbing S			The second secon	M	Other Structural Components	_	D
Exterior Walls	0 0	Roof	yste	ans		M			1 =
16.46	6.01. 21 .		and the same	0.2000			ditional sheets if necessary):		_
and No (N) if you are	(Seller) aw not aware	are of any o	f th	e foll	lowing o	ondi	itions: (Mark Yes (Y) if you are	av	var
Condition			Y	N	Cond	ition		v	N
Aluminum Wiring				-	The second second		oundation Repairs		E
Asbestos Component	s			-			oof Repairs		
Diseased Trees: ☐ oa	ak wilt \square		ä	Ø			ther Structural Repairs		A
Endangered Species/		roperty	ö	Ø	Rador			-	- Parties
Fault Lines	rabitat off	roporty	H	Ø	Settlin				
Hazardous or Toxic W	/aste		님	D	Soil M	~			
Improper Drainage	adio		님	D					
Intermittent or Weather	r Springe	-	금	-			Structure or Pits		
Landfill			금	D	Under	grour	nd Storage Tanks		
Lead-Based Paint or L	ead-Racad	Dt Hazarda	님	V			asements		
Encroachments onto t		Contracting the Contracting Co	-	-	The same and the s		Easements		
			-	D			Idehyde Insulation	_	_
Improvements encroad		ers property		M			etration		45
Located in 100-year F				M	Wetlar	nds o	n Property		D
(If yes, attach TXR-14		TVD 4444	000			_			
Located in Floodway (n TXR-1414)		M	Wood				卤
Present Flood Ins. Co.				M			station of termites or other wood		B
(If yes, attach TXR-14							insects (WDI)	_	
Previous Flooding into				D			eatment for termites or WDI		ď
Previous Flooding onto		rty		Ø			rmite or WDI damage repaired		M
Located in Historic Dis				Ø	Previo				D
Historic Property Design	gnation			B	Termit	e or V	WDI\damage needing repair		1
(TXR-1406) 02-01-18	Initialed	by: Buyer:			and So	eller:	Page	20	of 5

Concerning the Property at 305 County Road 411, Somerville, TX 77879 Previous Use of Premises for Manufacture Single Blockable Main Drain in Pool/Hot of Methamphetamine Tub/Spa* If the answer to any of the items in Section 3 is yes, explain (attach additional sheets if necessary): *A single blockable main drain may cause a suction entrapment hazard for an individual. Section 4. Are you (Seller) aware of any item, equipment, or system in or on the Property that is in need of repair, which has not been previously disclosed in this notice? ues on If yes, explain (attach additional sheets if necessary): Section 5. Are you (Seller) aware of any of the following (Mark Yes (Y) if you are aware. Mark No (N) if you are not aware.) Room additions, structural modifications, or other alterations or repairs made without necessary permits, with unresolved permits, or not in compliance with building codes in effect at the time. Homeowners' associations or maintenance fees or assessments. If yes, complete the following: Name of association: Manager's name: Phone: Fees or assessments are: \$ per and are: ☐ mandatory ☐ voluntary Any unpaid fees or assessment for the Property? yes (\$ If the Property is in more than one association, provide information about the other associations below or attach information to this notice. Any common area (facilities such as pools, tennis courts, walkways, or other) co-owned in undivided interest with others. If yes, complete the following: Any optional user fees for common facilities charged? ☐ yes ☐ no If yes, describe: Any notices of violations of deed restrictions or governmental ordinances affecting the condition or use of the Property. Any lawsuits or other legal proceedings directly or indirectly affecting the Property. (Includes, but is not limited to: divorce, foreclosure, heirship, bankruptcy, and taxes.) Any death on the Property except for those deaths caused by: natural causes, suicide, or accident unrelated to the condition of the Property. Any condition on the Property which materially affects the health or safety of an individual. Any repairs or treatments, other than routine maintenance, made to the Property to remediate environmental hazards such as asbestos, radon, lead-based paint, urea-formaldehyde, or mold. If yes, attach any certificates or other documentation identifying the extent of the remediation (for example, certificate of mold remediation or other remediation). Any rainwater harvesting system located on the Property that is larger than 500 gallons and that uses a public water supply as an auxiliary water source. The Property is located in a propane gas system service area owned by a propane distribution system retailer. Any portion of the Property that is located in a groundwater conservation district or a subsidence district.

(TXR-1406) 02-01-18

and Seller:

Initialed by: Buyer:

Page 3 of 5

W.O.		1411, Somerville,	A 11013	
If the answer to any	of the items in S	ection 5 is yes,	explain (attach additiona	l sheets if necessary):
Section 6. Seller	has has n	ot attached a	survey of the Property	,
Section 7. Within persons who regul	the last 4 year	rs, have you espections and	(Seller) received any	written inspection reports from sed as inspectors or otherwise ies and complete the following:
	уре	Name of Inspe		No. of Pages
3 times IN 1	not year	Septic Si	Istem	
Note: A buyer shoul	d not rely on the	above-cited rep	orts as a reflection of th	e current condition of the Property.
			s from inspectors chose.	
Section 8. Check a Homestead	any tax exempti	on(s) which you Senior Citize	ou (Seller) currently cla	
☐ Wildlife Manag		☐ Agricultural		
Other: A A			Unknow	
Section 9. Have y provider? ☐ yes ☐	ou (Seller) eve	er filed a clai	m for damage to the	Property with any insurance
		r received pr	scoods for a claim fa	r damage to the Property (for
example, an insurar	nce claim or a s	ettlement or a	ward in a legal proceed	ding) and not used the proceeds
to make the repairs	for which the c	laim was made	? □ yes ☑ no If yes,	explain:
detector requiremen	nts of Chapter 7	766 of the Heal	th and Safety Code?*	d in accordance with the smoke □ unknown □ no ☑ yes. If no
detector requiremer or unknown, explain.	nts of Chapter 7 (Attach addition	766 of the Heal nal sheets if nec	th and Safety Code?* essary):	□ unknown □ no 🗹 yes. If no
or unknown, explain. "Chapter 766 of the installed in accordar including performance."	Attach addition (Attach addition Health and Safety nce with the require te, location, and pow	766 of the Heal hal sheets if nec Code requires one ments of the built wer source requires	th and Safety Code?* essary): -family or two-family dwelling	unknown no by yes. If no
"Chapter 766 of the installed in accordar including performance in your area, you may A buyer may require family who will resid impairment from a lic seller to install smoke	Attach addition (Attach addition Health and Safety nce with the require te, location, and pow y check unknown ab a seller to install sn te in the dwelling is ensed physician; an te detectors for the I	Code requires one ments of the build ver source requiren vove or contact you make detectors for s hearing-impaired d (3) within 10 days the aring-impaired a	th and Safety Code?* essary): -family or two-family dwelling ting code in effect in the are nents. If you do not know the r local building official for more the hearing impaired if: (1) the c (2) the buyer gives the set	□ unknown □ no ☑ yes. If no gs to have working smoke detectors as in which the dwelling is located, building code requirements in effect a information. The buyer of the buyer's liter written evidence of the buyer's buyer makes a written request for the bustallation. The parties may arme
"Chapter 766 of the installed in accordar including performance in your area, you may A buyer may require family who will reside impairment from a lick seller to install smoke who will bear the costinuing the broker(seller).	Attach addition (Attach addition Health and Safety nce with the require te, location, and pow y check unknown ab a seller to install sn de in the dwelling is rensed physician; an e detectors for the I t of installing the sm that the stateme	766 of the Heal hal sheets if nec Code requires one ments of the built ver source requiren hove or contact you moke detectors for s hearing-impaired a d (3) within 10 days hearing-impaired a loke detectors and ents in this notice	th and Safety Code?* essary): -family or two-family dwelling fing code in effect in the are nents. If you do not know the r local building official for more the hearing impaired if: (1) the is after the effective date, the be not specifies the locations for which brand of smoke detector e are true to the best of	□ unknown □ no ☑ yes. If no is to have working smoke detectors as in which the dwelling is located, building code requirements in effect information. be buyer or a member of the buyer's lier written evidence of the hearing buyer makes a written request for the installation. The parties may agree install. Seller's belief and that no person.
"Chapter 766 of the installed in accordar including performance in your area, you may A buyer may require family who will reside impairment from a lick seller to install smoke who will bear the costiculting the broker(seller).	Attach addition (Attach addition Health and Safety nce with the require te, location, and pow y check unknown ab a seller to install sn de in the dwelling is rensed physician; an e detectors for the I t of installing the sm that the stateme	766 of the Heal hal sheets if nec Code requires one ments of the built ver source requiren hove or contact you moke detectors for s hearing-impaired a d (3) within 10 days hearing-impaired a loke detectors and ents in this notice	th and Safety Code?* essary): -family or two-family dwelling fing code in effect in the are nents. If you do not know the r local building official for more the hearing impaired if: (1) the is after the effective date, the be not specifies the locations for which brand of smoke detector e are true to the best of	unknown no yes. If no set to have working smoke detectors as in which the dwelling is located, building code requirements in effect information. The buyer or a member of the buyer's lifer written evidence of the hearing buyer makes a written request for the installation. The parties may agree install. Seller's belief and that no person.
"Chapter 766 of the installed in accordar including performance in your area, you may A buyer may require family who will reside impairment from a lice seller to install smoke who will bear the cost Seller acknowledges including the broker (material information.	Attach addition (Attach addition Health and Safety nce with the require te, location, and pow y check unknown ab a seller to install sn de in the dwelling is rensed physician; an e detectors for the I t of installing the sm that the stateme	766 of the Heal hal sheets if nec Code requires one ments of the built ver source requiren hove or contact you moke detectors for s hearing-impaired a d (3) within 10 days hearing-impaired a loke detectors and ents in this notice	th and Safety Code?* essary): -family or two-family dwelling fing code in effect in the are nents. If you do not know the r local building official for more the hearing impaired if: (1) the is after the effective date, the be not specifies the locations for which brand of smoke detector e are true to the best of	unknown no by yes. If no by yes to have working smoke detectors as in which the dwelling is located, building code requirements in effect a information. The buyer or a member of the buyer's lifer written evidence of the hearing buyer makes a written request for the installation. The parties may agree install. Seller's belief and that no person, curate information or to omit any
"Chapter 766 of the installed in accordar including performanc in your area, you may A buyer may require family who will resid impairment from a lic seller to install smok who will bear the cos	Health and Safety nee with the require to location, and powy check unknown ab a seller to install sneed physician; and edetectors for the let of installing the smethat the statemets), has instructed.	Code requires one ments of the built ver source requires for some or contact you make detectors for shearing-impaired a loke detectors and ents in this notice of or influenced	th and Safety Code?* essary): -family or two-family dwelling fing code in effect in the are nents. If you do not know the r local building official for more the hearing impaired if: (1) the is after the effective date, the be not specifies the locations for which brand of smoke detector e are true to the best of I Seller to provide inact	unknown no Myes. If no sto have working smoke detectors as in which the dwelling is located, building code requirements in effect information. The buyer or a member of the buyer's liter written evidence of the hearing buyer makes a written request for the installation. The parties may agree is to install. Seller's belief and that no person, curate information or to omit any

502 S Lasalle Street Navasota, TX 77868

Sally Matthews

Navasota Realty

ADDITIONAL NOTICES TO BUYER:

Navasota Realty

- (1) The Texas Department of Public Safety maintains a database that the public may search, at no cost, to determine if registered sex offenders are located in certain zip code areas. To search the database, visit www.txdps.state.tx.us. For information concerning past criminal activity in certain areas or neighborhoods, contact the local police department.
- (2) If the Property is located in a coastal area that is seaward of the Gulf Intracoastal Waterway or within 1,000 feet of the mean high tide bordering the Gulf of Mexico, the Property may be subject to the Open Beaches Act or the Dune Protection Act (Chapter 61 or 63, Natural Resources Code, respectively) and a beachfront construction certificate or dune protection permit may be required for repairs or improvements. Contact the local government with ordinance authority over construction adjacent to public beaches for more information.
- (3) If the Property is located in a seacoast territory of this state designated as a catastrophe area by the Commissioner of the Texas Department of Insurance, the Property may be subject to additional requirements to obtain or continue windstorm and hail insurance. A certificate of compliance may be required for repairs or improvements to the Property. For more information, please review Information Regarding Windstorm and Hail Insurance for Certain Properties (TXR 2518) and contact the Texas Department of Insurance or the Texas Windstorm Insurance Association.
- (4) This Property may be located near a military installation and may be affected by high noise or air installation compatible use zones or other operations. Information relating to high noise and compatible use zones is available in the most recent Air Installation Compatible Use Zone Study or Joint Land Use Study prepared for a military installation and may be accessed on the Internet website of the military installation and of the county and any municipality in which the military installation is located.
- (5) If you are basing your offers on square footage, measurements, or boundaries, you should have those items independently measured to verify any reported information.

items independently measured to verify any	reported information,
(6) The following providers currently provide ser	vice to the Property:
Electric: Blue Bonnet	phone #:
Sewer:	
Sewer: Coulf Utilities	phone #:
Cable:	
Trash:	
Natural Gas: NO	phone #:
Phone Company: no	phone #:
Propane: n 0	
Internet:	phone #:
this notice as true and correct and have n	ed by Seller as of the date signed. The brokers have relied on the reason to believe it to be false or inaccurate. YOU ARE OF YOUR CHOICE INSPECT THE PROPERTY. The foregoing notice.
Signature of Buyer D	late Signature of Buyer Date
Printed Name:	Printed Name:
(TXR-1406) 02-01-18	Page 5 of 5

Sally Matthews

502 S Lasalle Street Navasota, TX 77868



INFORMATION ABOUT ON-SITE SEWER FACILITY

USE OF THIS FORM BY PERSONS WHO ARE NOT MEMBERS OF THE TEXAS ASSOCIATION OF REALTORS®, INC. IS NOT AUTHORIZED. ©Texas Association of REALTORSD, Inc., 2004

C	ONCERNING THE PROPERTY AT	
A.	DESCRIPTION OF ON-SITE SEWER FACILITY ON PROPERTY:	
	(1) Type of Treatment System: Septic Tank Aerobic Treatment	Unknown
	(2) Type of Distribution System:	☐ Unknown
	(3) Approximate Location of Drain Field or Distribution System:	Unknown
	Services	
	(4) Installer: 175 Trent Groce - Caldwell	Unknown
	(5) Approximate Age: 1 /2 4845	Unknown
В.	MAINTENANCE INFORMATION:	
	(1) Is Seller aware of any maintenance contract in effect for the on-site sewer facility? If yes, name of maintenance contractor: ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐	Yes No
	Phone: contract expiration date: (Maintenance contracts must be in effect to operate aerobic treatment and certain no	an atandayd" on
	site sewer facilities.)	on-standard on-
	(2) Approximate date any tanks were last pumped? New System	
	(3) Is Seller aware of any defect or malfunction in the on-site sewer facility? If yes, explain:	☐ Yes ☑ No
	(4) Does Seller have manufacturer or warranty information available for review?	☑ Yes □ No
_		Lu res 🗀 No
C.	PLANNING MATERIALS, PERMITS, AND CONTRACTS:	
	(1) The following items concerning the on-site sewer facility are attached: ☐ planning materials ☐ permit for original installation ☐ final inspection when OS ☐ maintenance contract ☐ manufacturer information ☐ warranty information ☐ ☐	SF was installed
	(2) "Planning materials" are the supporting materials that describe the on-site sewer submitted to the permitting authority in order to obtain a permit to install the on-site sew	facility that are er facility.
	(3) It may be necessary for a buyer to have the permit to operate an on-site transferred to the buyer.	sewer facility
(TX	R 1407) 1-7-04 Initialed for Identification by Buyer: and Seller	Page 1 of 2
Nav	rasota Realty 502 S Lasalle Street Navasota, TX 77868 Sally Matth	Contract Con

D. INFORMATION FROM GOVERNMENTAL AGENCIES: Pamphlets describing on-site sewer facilities are available from the Texas Agricultural Extension Service. Information in the following table was obtained from Texas Commission on Environmental Quality (TCEQ) on 10/24/2002. The table estimates daily wastewater usage rates. Actual water usage data or other methods for calculating may be used if accurate and acceptable to TCEQ.

<u>Facility</u>	Usage (gal/day) without water- saving devices	Usage (gal/day) with water- saving devices
Single family dwelling (1-2 bedrooms; less than 1,500 sf)	225	180
Single family dwelling (3 bedrooms; less than 2,500 sf)	300	240
Single family dwelling (4 bedrooms; less than 3,500 sf)	375	300
Single family dwelling (5 bedrooms; less than 4,500 sf)	450	360
Single family dwelling (6 bedrooms; less than 5,500 sf)	525	420
Mobile home, condo, or townhouse (1-2 bedroom)	225	180
Mobile home, condo, or townhouse (each add'l bedroom)	75	60

This document is not a substitute for any inspections or warranties. This document was completed to the best of Seller's knowledge and belief on the date signed. Seller and real estate agents are not experts about on-site sewer facilities. Buyer is encouraged to have the on-site sewer facility inspected by an inspector of Buyer's choice.

Khonda Willo Signature of Seller	Date	Signature of Seller	Date
Receipt acknowledged by:			
Signature of Buyer	Date	Signature of Buyer	Date