

Exhibit A

25 acres

Survey Required, boundary lines approx.



17010 Red Oak Dr



Exhibit A NFHL

25 acres

Survey Required, boundary lines approx.



REFERENCE LAYERS

- NFHL Data Available
- FIRM Panel Boundary
- LOMR Boundary

SPECIAL FLOOD HAZARD AREAS

- 1% Annual Chance Flood Hazard
Zone A, AE, A99, AO, AH, AR, X, VE
- Regulatory Floodway

OTHER AREAS OF FLOOD HAZARD

- 0.2% Annual Chance Flood Hazard
Zone X
- Future Conditions 1% Annual Chance Flood Hazard
Zone X
- Area with Reduced Flood Risk due to Levee
Zone X
- NO SCREEN
Areas Outside the 0.2% Annual Chance Floodplain
Zone X
- Areas of Undetermined Flood Hazard
Zone D

CROSS SECTIONS & BFES

- 18.2
17.8
Cross Sections with 1% Annual Chance Water Surface Elevation
- Coastal Transect
- Coastal Transect Baseline
- Profile Baseline
- Base Flood Elevation

SUPPORTING INFORMATION


- Limit of Study
- Jurisdictional Boundary

Exhibit A

25 acres

DAM

Survey Required, boundary lines approx.



17010 Red Oak Dr

DeC

FeC

CoC



Exhibit A

25 acres

Survey Required, boundary lines approx.



17010 Red Oak Dr

2500